CompX® FORT

STOCK® LOCKS

Standard Locks for Special Needs

The Family Of...

CompX® SECURITY PRODUCTS

CompX® NATIONAL

PO Box 200
Mauldin, SC 29662
Phone: 864-297-6655 Fax: 864-297-9987
E-Mail: national@compx.com
compx.com

CompX® FORT

715 Center Street
Grayslake, IL 60030
Phone: 847-752-2500 Fax: 847-752-2419
E-Mail: fort@compx.com
compx.com

CompX® TIMBERLINE

715 Center Street
Grayslake, IL 60030
Phone: 847-752-2600 Fax: 847.752.2420
E-Mail: timberline@compx.com
compx.com

CompX® CHICAGO

PO Box 200
Mauldin, SC 29662
Phone: 864-297-6655 Fax: 864-297-9987
E-Mail: chicago@compx.com
compx.com

Table of Contents

Description	Page
Cams	19, 22
Cam Lock Accessory Kit	12
Cam Locks - Double Bitted	10, 11
Cam Locks - Single Bitted	6, 11
Cam Locks - Tubular Gem Series	13
Cam Locks - Thumb Turn	12
Drawer Locks - Single Bitted.	7
Drawer Locks - Tubular Gem Series	14
Key Blanks	20, 21
Maxi Cam Lock	10
Metal Drawer Locks	8
Miniature “T” Lock	11
Parts & Accessories	17, 18
Showcase Lock - Double Bitted	10
Showcase Lock - Single Bitted	8
Sliding Door Lock - Single Bitted	9
Sliding Door Lock - Tubular Gem Series	14
Switch Lock - Single Bitted	9
Switch Lock - Tubular Gem Series	13
Threaded Shaft Lock - Double Bitted	10
Threaded Shaft Lock - Single Bitted	9
Threaded Shaft Lock - Tubular Gem Series	14
Trailer & Gate Lock	11
Vending Machine Locks	15, 16

All part numbers shown in blue are available through the STOCK LOCKS program.

Multi-Function Lock Line

The Concept of Multi-Function:

The concept of Multi-Function is to make one bag of components available to produce many different functioning locks (up to 6 different functions in our single bitted lock bag). This enables the locksmith to carry fewer locks in inventory while still having complete stock on hand. Multi-Function bagged cam locks include our patented Wonder Washer, which allows for installation into either wood or metal without the use of a double “D” punch.

Multi-Function locks are available through several programs CompX Fort has developed. The STOCK LOCKS program provides 5 CompX Fort keyed alike and various keyed different codes, shipped in 24 hours of receipt of order. All other key codes (Key To Order - KTO) are available within CompX Fort Lock’s standard lead times.

The Multi-Function Line:

Many of our popular lock series are designed for Multi-Function usage.

- Single bitted cam lock
- Wood drawer or door lock
- Gem tubular cam lock
- Single bitted showcase lock
- Double bitted cam lock
- Double bitted showcase lock
- Gem tubular switch lock
- Metal desk drawer lock

A typical Multi-Function product.



Shell With 4 Splines



2 Spline Fillers
To Insert In Splines As Required



Cam Stops



Wonder Washer

LOCK PROVIDED WITH PARTS FOR SIX DIFFERENT FUNCTIONS

Function	Key Rotation	Key Removable at:	Parts Used	
			Cam Stop	Spline Filler Place at
1	12-3 CW	12	90˚ RT	3:00 & 9:00
2	12-3 CW	12, 3	90˚ RT	---
3	12-6 CW	12, 6	180˚ RT	3:00 & 9:00
4	12-9 CCW	12	90˚ LFT	9:00 & 3:00
5	12-9 CCW	12, 9	90˚ LFT	---
6	12-6 CCW	12, 6	180˚ LFT	9:00 & 3:00

All part numbers shown in blue are available through the STOCK LOCKS program.

Universal Keying Matrix

MANUFACTURER	KEY CODE	KEY PROFILE	KEY BLANK	MULTIFUNCTION UNIVERSAL LOCK 23000	MULTIFUNCTION UNIVERSAL LOCK 24000
ALL LOCK	SEARS 4001-4050		54C		■
	SEARS 4001-4050		54C		■
	SEARS 4201-4250		54C		■
	4001-4050		54C		■
	4001-4050		54C		■
	4201-4250		54C		■
	4201-4225		54C		■
	PK502-999 (SWITCHLOCK)		54C		■
	PK502-999		54G	■	
	AMXXX-CODES		54G	■	
CCL	FAB24		54G	■	
	AUE1-700		OOV		■
	CAT1-200		SOOV		■
CHICAGO	LL226-LL275		54A	■	
	W1000-W1050 (EVEN #)		54A	■	
	SEARS W1000-W1050 (EVEN #)		54A	■	
	LL61-LL139		54A	■	
	SEARS LL61-LL139		54A	■	
	W1000-W1049 (ODD #)		54B		■
	SEARS W1000-W1049 (ODD #)		54B		■
	LL331		54G	■	
	1250-1499		54G	■	
	LLMK		54E	■	
ESP	ALXXX-CODES		54G	■	
	ES101-204		54G	■	
	SL342		54G	■	
	UC380		54G	■	
FORT LOCK	004-336		54G	■	
	F004-336		M54G	■	
	001-1000		OOV		■
	S01-336		SOOV		■
HUDSON	EL130		54C		■
	HL201-400		54G	■	
	HC714-840		54G	■	
	MM750-999		54G	■	
	HL959		54G	■	
HURD	SEARS 2001-2050		54A	■	
	LL201H-LL225H		54A	■	
	SEARS LL201H-LL225H		54A	■	
	2001-2050		54A	■	
	SEARS 2077-2099		54D	■	
	2051-2101		54D	■	
	GH067		54G	■	
ILCO	603		54G	■	
LORI	PB089,PB092		54C		■
	EB1-240		54G	■	
NATIONAL	C001A-633A		54D	■	
	D127A		54D	■	

All part numbers shown in blue are available through the STOCK LOCKS program.

54G-23000 SERIES
OOV-24000 SERIES

Single Bitted Cam Locks with Universal Keyway

23000 Series Locks
24000 Series Locks

STOCK LOCKS

MULTI-FUNCTION

Illustration	Number	Description	Box Qty.
23000 Series Cam Locks – *Featuring FlexaCam!*		200 KD, KA 217, 221, 224, 237, 238 (stainless steel finish only)	
Stainless Steel Finish – Dust shutter version available. See page 11.		** These locks provide a nut mounted cam.*	
	MFW 23038*	Stainless Steel 7/16" 'A' Dimension	25
	MFW 23058	Stainless Steel 5/8" 'A' Dimension	25
	MFW 23078	Stainless Steel 7/8" 'A' Dimension	25
	MFW 23118	Stainless Steel 1-1/8" 'A' Dimension	25
	MFW 23138	Stainless Steel 1-3/8" 'A' Dimension	25
	MFW 23168	Stainless Steel 1-3/4" 'A' Dimension	25
Brass Finish		KD, KA 217, 221 (brass finish only)	
	MFW 23038B*	Brass 7/16" 'A' Dimension	25
	MFW 23058B	Brass 5/8" 'A' Dimension	25
	MFW 23078B	Brass 7/8" 'A' Dimension	25
	MFW 23118B	Brass 1-1/8" 'A' Dimension	25
	MFW 23138B	Brass 1-3/8" 'A' Dimension	25
	MFW 23168B	Brass 1-3/4" 'A' Dimension	25

Illustration	Number	Description	
24000 Series Cam Locks		KD, KA Cat15, Cat30, Cat45, Cat60	
Stainless Steel Finish		**(NON-STOCK)**	
	MFW 24038*	Stainless Steel 7/16" 'A' Dimension	
	MFW 24058	Stainless Steel 5/8" 'A' Dimension	
	MFW 24078	Stainless Steel 7/8" 'A' Dimension	
	MFW 24118	Stainless Steel 1-1/8" 'A' Dimension	
	MFW 24138	Stainless Steel 1-3/8" 'A' Dimension	
	MFW 24168	Stainless Steel 1-3/4" 'A' Dimension	
Brass Finish		**(NON-STOCK)**	
	MFW 24038B*	Brass 7/16" 'A' Dimension	
	MFW 24058B	Brass 5/8" 'A' Dimension	
	MFW 24078B	Brass 7/8" 'A' Dimension	
	MFW 24118B	Brass 1-1/8" 'A' Dimension	
	MFW 24168B	Brass 1-3/4" 'A' Dimension	

All part numbers shown in blue are available through the STOCK LOCKS program.

Single Bitted Drawer Locks with Universal Keyway

23000 Series Locks
24000 Series Locks

STOCK LOCKS

MULTI-FUNCTION

Illustration	Number	Description	Box Qty.
23000 Series Wood Drawer Locks		KD, KA 217	
Stainless Steel Finish			
	**Key Pull at 12:00 & 3:00**		
	MFW 23006	Stainless Stl. 3/4" Spring Latch & Deadbolt Function	25
	MFW 23007	Stainless Stl. 7/8" Spring Latch & Deadbolt Function	25
	MFW 23008	Stainless Stl. 1-1/8" Spring Latch & Deadbolt Function	25
Brass Finish			
	**Key Pull at 12:00 & 3:00**		
	MFW 23006B	Brass 3/4" Spring Latch & Deadbolt Function	25
	MFW 23007B	Brass 7/8" Spring Latch & Deadbolt Function	25
	MFW 23008B	Brass 1-1/8" Spring Latch & Deadbolt Function	25

NEW! Double Door Latch

Eliminate the elbow catch.
Eliminates the need for an elbow catch, or other devices, and allows hardware to be installed out of the way.

- Part numbers:
  D200DL-BLK, D300DL-BLK, D200DL-WHT, D300DL-WHT



CompX TIMBERLINE

For more information or to see a Double Door Latch video: http://compx.com/ddl

All part numbers shown in blue are available through the STOCK LOCKS program.

Single Bitted Drawer & Showcase Locks with Universal Keyway

23000 Series Locks

Illustration	Number	Description	Box Qty.
Metal Drawer Lock - Stainless Steel Finish		KD, KA 217, 221, 224, 237, 238	
	• **Multi-function**		
	MFW 23010	2 Bolt Throw Heights Bolt Notched for Assembled Installation 90° Key Turn to Open Key Removable Locked or Unlocked Removable Cylinder for Rekeying 'A' Dimension 19/32" (Other Dimensions Below) 	25
Metal Drawer Lock - Spring Latch - Stainless Steel		KD, KA 217, 221, 224, 237, 238	
	• **Multi-function**		
	D 23011 (NON-STOCK)	Slam Latch Action 90° Key Turn to Open Key Removable at 12:00 & 3:00 Removable Cylinder for Rekeying 'A' Dimension 21/32"	
Showcase Lock - Wood/Glass - Nickel Finish		KD, KA 217, 221, 224, 237, 238	
	• **Multi-function**		
	MFWSG 23000	2 One-Way Bars, Wood & Glass 90° Key Turn to Open Key Removable at 12:00 Anti-Spread Housing *Note: Look for enhancements to this product June 2015!*	10

All part numbers shown in blue are available through the STOCK LOCKS program.

Single Bitted Door, Switch, & Threaded Shaft Locks with Universal Keyway

STOCK LOCKS®

Illustration	Number	Description	Box Qty.
Sliding Door Lock - Nickel Finish		**KD, KA 217, 221, 224, 237, 238**	
	SD 990	Plunger Action, Wood Door Lock, 23000 Series Keyway 'A' Dimension, 1-1/32" 15/32" Bolt Throw Key Pull at 12:00 only in unlocked position (3:00) Turn key back to 12:00 ro remove key, then push plug in to lock Not Rekeyable	25
Switch Lock - Maintaining - Nickel Finish		**KD, KA 217, 221, 224, 237, 238**	
	SW2-3118AD	23000 Series Keyway 'A' Dimension, 1-1/8" Lead Length 10" 2 Key Pulls at 12:00 & 3:00 Maintains Contact at 3:00, Open at 12:00 7 Amps @ 28 VAC/VDC Not Rekeyable	10
Switch Lock - Momentary - Nickel Finish		**KD, KA 217, 221, 224, 237, 238**	
	SW20-3118MC	23000 Series Keyway 'A' Dimension, 1-1/8", Lead Length 10" 1 Key Pull at 12:00 only Momentary Contact at 3:00, springs back to 12:00 7 Amps @ 28 VAC/VDC Not Rekeyable	10
Threaded Shaft Lock - Stainless Steel Finish		**KD, KA 217, 221, 224, 237, 238**	
	(NON-STOCK)	Universal Keyway - 23000 Series Threaded Shaft Lock 'A' Dimension 8", 'B' Dimension - 7/8"	
	TS 23078BD	2 Key Pulls at 12:00 and 6:00	
	TS 23078U	4 Key Pulls at 12:00, 3:00, 6:00 and 9:00	

All part numbers shown in blue are available through the STOCK LOCKS program.



Double Bitted High Security Locks

29000 Series - 5 Tumbler Locks
16000 Series - 10 Tumbler Locks

STOCK LOCKS®

MULTI-FUNCTION

Illustration	Number	Description	Box Qty.
Cam Locks - Stainless Steel		**KD, KA D3012, D3045, D3059, D3085, D3165**	
	• **Multi-function (Not Available Master Keyed)**		
	MFW 29058	5/8" 'A' Dimension - 5 Tumbler	25
	MFW 29078	7/8" 'A' Dimension - 5 Tumbler	25
	MFW 29118	1-1/8" 'A' Dimension - 5 Tumbler	25
	MFW 29138	1-3/8" 'A' Dimension - 5 Tumbler	25
Wood/Glass Showcase Lock - Nickel Plated		**KD, KA D3012, D3045, D3059, D3085, D3165**	
	• **Multi-function (Not Available Master Keyed)**		
	MFWSG 29000	2 One-Way Bars, Wood & Glass Anti-Spread Housing *Note: Look for enhancements to this product June 2015!*	10
Threaded Shaft Locks - Stainless Steel		**KD, KA D3012, D3045, D3059, D3085, D3165**	
 **(Not Available Master Keyed)**	TS 29078BD (NON-STOCK)	29000 Series Lock 'A' Dimension 8", 'B' Dimension 7/8" 2 Key Pulls at 12 and 6	
	TS 29078U (NON-STOCK)	29000 Series Lock 'A' Dimension 8", 'B' Dimension 7/8" 4 Key Pulls at 12, 3, 6 and 9	
16000 Series Maxi Cam Locks - Nickel Plated		**KD, KA 16124, 16272, 16119, 16219, 16219**	
	(NON-STOCK) Without Cam - Must Specify Cam		
	16058	5/8" 'A' Dimension	10 Tumbler Locks Key Pull at 12:00 Mounting Hole Size 3/4" DIA. X 11/16" DD Flats
	16078	7/8" 'A' Dimension	
	16118	1-1/8" 'A' Dimension	
	16138	1-3/8" 'A' Dimension	

All part numbers shown in blue are available through the STOCK LOCKS program.

54G-23000 SERIES

750

KT1

Special Purpose Locks

NEW! Dust Shutter Cam Lock
Trailer & Gate Lock
Miniature 'T Cam Lock

MULTI-FUNCTION

STOCK LOCKS®

Illustration	Number	Description	Box Qty.
NEW! Dust Shutter Cam Lock – *Featuring FlexaCam!* KD, KA 217, 221, 224			
 MFWDS23078 shown	MFWDS23058	Stainless Steel finish 5/8" 'A' Dimension Corrosion resistant – stainless steel cap with X33 finish (RoHS compliant) Nut mounted cam	25
	MFWDS23078	Stainless Steel finish 7/8" 'A' Dimension Corrosion resistant – stainless steel cap with X33 finish (RoHS compliant) Screw mounted cam	25
Trailer & Gate Lock KD, KA 1339			
	TL-37	5000 Series Double Bitted, 6 Tumbler, Key Retaining, Solid Die Cast Construction, Key Blank 750 90° Key Rotation Key Retained in Unlocked Position	25
Miniature 'T' Lock - Multifunction KD, KA K001, K002, K024			
	1T-058	Miniature Lock-For Glass & Plastic Doors 'A' Dimension, 11/16" Straight and 1/16" Offset Cams Mounting Hole 15/32" DIA X 27/64" DD Flats 90° Key Rotation Key Removable at 12:00 and 3:00	25

All part numbers shown in blue are available through the STOCK LOCKS program.

Typical Thumb Turn

Thumb Turn Locks
Cam Lock Accessory Kit

STOCK LOCKS

MULTI-FUNCTION

Illustration	Number	Description	Box Qty.
Thumb Turn Cam Lock			
	MFW TT058	5/8" 'A' Dimension	25
	MFW TT078	7/8" 'A' Dimension	25
		Standard thumb turn cam lock provided with our Multi-Function packaging, which includes a straight cam, offset cam, wonder washer, and hex nut. Spline fillers not included.	
Locking Thumb Turn Cam Lock		KD, KA, K055, K078, K026	
	MFW LT078	7/8" 'A' Dimension	25
		A unique thumb turn cam lock with a key lock. Available KA & KD. Multi-Function packaging, which includes a straight cam, offset cam, wonder washer, and hex nut. Key can be removed in locked or unlocked position.	
Double Drawer Strike Plate			
	C500SP	Designed to lock file and box drawers when no other locking points are available.	25
Cam Lock Accessory Kit			
	AK-100	Our accessory kit contains 18 separate items, conveniently packed in a heavy duty plastic case. The kit is designed to provide the most commonly used parts, along with many hard to find items. Our kit provides most parts needed for any field changes. The kit contains 5 each of the following: CL1 Clips, AP1 Anchor Plate, 3 Point Locking Cam, CA1 Cam Adaptor, BF1418 Bent Cam, SF1200 Straight Cam, Ball & Spring Detent, C1 Collar, AW1 Spur Washer, 201 Hook Cam, SF4000 Straight Cam, OF2408 Offset Cam, DC-1 Dust Cap, Plug Removal Tool, S4 4-40 Screw, BF1 814 Bent Cam, Doubled Ended Cam, OF2414 Offset Cam	

All part numbers shown in blue are available through the STOCK LOCKS program.



High Security Tubular Key Locks

GEM 1000 Series Locks

7 Pin Tumbler

STOCK LOCKS

MULTI-FUNCTION

Illustration	Number	Description	Box Qty.

Cam Locks - Nickel Plated – *Featuring FlexaCam!*

KD, KA 27379, 27380, 27381, 27382, 27383, 27384, 27385



Number	Description	Box Qty.
• Multi-function		
MFW1038	1/2" 'A' Dimension (Not Available Master Keyed)	25
MFW1058	23/32" 'A' Dimension	25
MFW1078	15/16" 'A' Dimension	25
MFW1118	1- 5/32" 'A' Dimension	25
MFW1148	1-1/2" 'A' Dimension (Not Available Master Keyed)	25

Switch Lock - Momentary & Maintaining - Nickel

KD, KA 27379, 27380, 27381, 27382, 27383



• Multi-function

Number	Description	Parts Provided For:				Box Qty.
		Function	Turn	Key Removable	Function	
MFSW3-1138	Rekeyable Switch Lock - UL Rated Maintaining & Momentary Contact,Single Pole, Double Throw Switch, 125/250VAC 7A (Resistive Load) Lead Length 10" 'A' Dimension 1-3/8"	1	90° CW	12 & 3	Maintained	10
		2	90° CW	12	Momentary Spring Back	

Switch Lock - Maintaining - Nickel Plated

KD, KA 27379, 27380, 27381, 27382, 27383



• Multi-function

Number	Description	Box Qty.
SW2-1138AD	Maintains Contact at 3:00 Single Pole, Single Throw Switch 7 Amps @ 28 VAC/VDC Key Removable At 12:00 & 3:00 'A' Dimension, 1-3/8" Lead Length 10" Not Rekeyable	10

Switch Lock - Momentary - Nickel Plated

KD, KA 27379, 27380, 27381, 27382, 27383



• Multi-function

Number	Description	Box Qty.
SW20-1138MC	Momentary Contact, Single Pole, Single Throw Switch 7 Amps @ 28 VAC/VDC Operation: 90° CW Turn Contacts Closed - Spring Back to 12:00, Key Removable 'A' Dimension, 1-3/8" Lead Length 10" Not Rekeyable	10

All part numbers shown in blue are available through the STOCK LOCKS program.



K137

High Security Tubular Key Locks

GEM 1000 Series Locks
7 Pin Tumbler

STOCK LOCKS

Illustration	Number	Description	Box Qty.
Wood Drawer Lock - Chrome Finish		KD, KA 27379, 27380	
	DR 1008	3/8" Bolt Throw Key Pulls at 12:00 & 6:00 180° Key Turn to Open 'A' Dimension 7/8"	25
Sliding Door Lock - Chrome Finish		KD, KA 27379, 27380	
	SD 1990	Plunger Action Wood Door Lock 15/32" Bolt Throw 90° Key Turn - Plunger Slides Out To Lock 'A' Dimension, 1-1/32" Key Pull at 12:00 only in unlocked position (3:00) Turn key back to 12:00 to remove key, then push plug in to lock	25
Plain Shaft Lock with Bayonette Locking - Nickel		KD, KA 27379, 27380, 27381, 27382, 27383	
	PS 1058 AD (NON-STOCK)	'A' Dimension, 8" 'B' Dimension, 5/8" 'C' Dimension, 1-1/2" 90° Key Turn Key Pulls at 12:00 & 3:00	
Threaded Shaft Lock - Nickel Finish		KD, KA 27379, 27380, 27381	
	TS 1058BD	'A' Dimension, 8", 'B' Dimension, 5/8", 'C' Dimension, 1-1/2" 2 Key Pulls at 12 and 6	10
	TS 1058U	'A' Dimension, 8", 'B' Dimension, 5/8", 'C' Dimension, 1-1/2" 4 Key Pulls at 12, 3, 6 and 9	10

All part numbers shown in blue are available through the STOCK LOCKS program.

Vending Machine Locks
High Security Tubular Key Locks
GEM 1000 Series Locks
7 Pin Tumbler

STOCK LOCKS

Illustration	Number	Description	Box Qty.
Inner Cylinder - Nickel Finish		**KD, KA 27379, 27380, 27381, 27382, 27383, 27384, 27385**	
	YPT 1010	Inner Cylinder for POP-OUT T Handles Meets NAMA Standards 'A' Dimension, 59/64"	10
POP-OUT T Handle Small - Chrome Finish		**KD, KA 27379, 27380, 27381, 27382, 27383**	
	**(NON-STOCK)**	**Short Bodied T Handle**	
	4200	Cam Operated Handle, Supplied with Inner Cylinder, Cam Not Included	
	OU-4200-NA	Cam Operated Handle, Inner Cylinder Not Included, Cam Not Included (See Below)	
	See Standard Cams Shown Below		
POP-OUT T Handle - Chrome Finish		**KD, KA 27379, 27380, 27381, 27382, 27383**	
	**(NON-STOCK)**	**Long Bodied T Handle**	
	4266	Cam Operated Handle, Supplied with Inner Cylinder, Cam Not Included	
	OU-4266-NA	Cam Operated Handle, Inner Cylinder Not Included, Cam Not Included	
	See Standard Cams Shown Below		
POP-OUT T Handle - Chrome Finish		**KD, KA 27379, 27380, 27381, 27382, 27383**	
	**(NON-STOCK)**	**Long Bodied T Handle w/Threaded Shaft**	
	4265	Threaded Shaft Operated Handle, Supplied with Inner Cylinder	
	OU-4265-NA	Threaded Shaft Operated Handle, Inner Cylinder Not Included	

All part numbers shown in blue are available through the STOCK LOCKS program.



High Security Pin Tumbler Tubular Key Locks

GEMATIC Series - 8 Pin Tumbler Changeable Combination Locks

8 Different Combinations in One Lock

MULTI-FUNCTION

Illustration	Number	Description	Box Qty.
GEMATIC Cam Locks - Nickel Finish		**(NON-STOCK)**	
		**8 Built-in Key Changes - See Below For Key Sets**	
	8GS-N1058	23/32" 'A' Dimension, Less Keys	
	8GS-N1078	15/16" 'A' Dimension, Less Keys	
	8GS-N1118	1- 5/32" 'A' Dimension, Less Keys	
	8GS-N1148	1-1/2" 'A' Dimension, Less Keys	
GEMATIC Inner Cylinder - Nickel Finish		**(NON-STOCK)**	
		**8 Built-in Key Changes - See Below For Key Sets**	
	8GS-YPT1010	Gematic Inner Cylinder - Less Keys For POP-OUT T Handles 'A' Dimension 59/64" See Below For Key Sets	
GEMATIC Change Keys - Nickel Finish		**(NON-STOCK)**	
		**Set of 9 for Gematic Locks**	
	Key Set-8GS	Key Sets For Gematic Inner Cylinders & Cam Locks 1 Control Key (To Change Combinations) 8 Change Keys (Lock Operating Keys)	1 Set

CompX RegulatoR

Electronic push button cabinet locks can be installed easily on new or retrofit applications.

Self-locking ◆ 75,000 cycles ◆ External battery installation / removal

Keyless locking made easy!

847.752.2500
compxregulator.com

All part numbers shown in blue are available through the STOCK LOCKS program.

Parts & Accessory Hardware

Use Only Original Fort Lock Parts & Accessories

STOCK LOCKS

Illustration	Number	Description	Box Qty.
		All part numbers in black on this page are NON-STOCK.	
Anchor Washers AW1 & AW2 AW3 WW1	AP1	ANCHOR PLATE, .630 FLATS	25
	AP2	ANCHOR PLATE, .685 FLATS	
	AW1	ANCHOR WASHER WOOD, .630 FLATS, ID .750	25
	AW2	ANCHOR WASHER WOOD, .685 FLATS, ID .750	
	AW3	ANCHOR WASHER METAL, .650 FLATS, ID .750	25
	WW1	WONDER WASHER, .630 - .635 FLATS (FOR METAL & WOOD)	25
 Metal Dust Cover DC1	C1	COLLAR, 3/32" HEIGHT, 1-1/32" O.D.	25
	C2	COLLAR, 3/16" HEIGHT, 1-1/16" O.D.	25
	DC1	METAL DUST COVER	25
Collar C2  Anchor Plate AP1	FC1	SPACER COLLAR, 1/16"THICKNESS	
	FC2	SPACER COLLAR, 3/32"THICKNESS	
	FC3	SPACER COLLAR, 1/8"THICKNESS	
	FC4	SPACER COLLAR, 5/32"THICKNESS	
	FC5	SPACER COLLAR, 3/16"THICKNESS	
	FC6	SPACER COLLAR, 7/32"THICKNESS	
	FC7	SPACER COLLAR, 1/4"THICKNESS	
	FC8	SPACER COLLAR, 9/32"THICKNESS	
	FC9	SPACER COLLAR, 5/16" THICKNESS	
	FC10	SPACER COLLAR, 3/8" THICKNESS	
	FC11	SPACER COLLAR, 7/16" THICKNESS	
	FC12	SPACER COLLAR, 1/2"THICKNESS	
 Hex Nut N1 Sems Screws S8	N1	HEX NUT, 3/4" X 24 TPI	
	N5	HEX NUT, 9/32" X 28 TPI	
	N6	HEX NUT, 5/16" X 24 TPI	
 Protective Collar PC1, 2, 3, 4, 5	PC1	PROTECTIVE COLLAR, 13/32" HEIGHT A .094 B .400 C 1.250	
	PC2	PROTECTIVE COLLAR, 1/4" HEIGHT A .062 B .250 C 1.187	25
	PC4	PROTECTIVE COLLAR,17/32" HEIGHT A .342 B .532 C 1.250	
	PC5	PROTECTIVE COLLAR, 5/8" HEIGHT 1-3/8" O.D. A .050 B .6250 C 1.375	
Star Lock Washer External SPW4 Spacer Collar FC7	S8	SEMS SCREW, 1/4X20TPI	
	SPW1	STAR LOCK WASHER INTERNAL, 3/4" HOLE	
	SPW2	STAR LOCK WASHER INTERNAL, 5/16" HOLE	
	SPW3	STAR LOCK WASHER INTERNAL, 9/32" HOLE	
	SPW4	STAR LOCK WASHER EXTERNAL, 5/16" HOLE	
	SPW5	STAR LOCK WASHER INTERNAL, 1/4" HOLE	
Washer W3 Star LockWasher Internal SPW1	W2	WASHER, 3/32"THICKNESS, 1-1/16" O.D.	
	W3	WASHER, 1/16"THICKNESS, 1" O.D.	
	W15	WASHER, 2" O.D. 7/8" I.D. (EXT. SLEEVE COMPONENT)	
	W16	WASHER .640 FLATS (EXT. SLEEVE COMPONENT)	

All part numbers shown in blue are available through the STOCK LOCKS program.

Parts & Rekeying Hardware

Rekey Locks with Original FORT Replacement Parts

STOCK LOCKS®

Illustration	Number	Description	Box Qty.
	Rekeying Kits		
Rekey Kit RKK-190	RKK 190	Universal Wafer Kit for 29000 Series	1
	RKK 130	Universal Wafer Kit for 23000, 24000 Series	1
	RKK 130M	23000 Series Master Wafer Kit	1
	RKK 110	1000 Series GEM Pin Kit	1
	All part numbers in black on this page are NON-STOCK.		
	RKK 1GO	1000 Series GEMATIC Pin Kit	
	Wafers and Pins		
 Universal Wafer	DT 23000	23000 Series Disc Tumblers #1 Thru #6	100
	DT 29000	29000 Series Disc Tumblers #1, #3 & #5	100
	PT 1000	1000 Series Pin Tumblers	100
Springs TS 1 TS 9	DPT 1000	1000 Series Driver Pins #0 Thru #6	
	Springs		
 Spline Fillers SF-1	TS 1	1000, 23000 Series Tumbler Springs	
	TS 9	29000 Series Tumbler Springs	
Removeable Retaining Pin RPP-1	**Spline Fillers, Cam Adapters & Retaining Pin**		
	SF-1	23000, 24000, 29000 Series Spline Fillers	
Cam Adapter CA-1	CA-1	23000 Series Cam Adapter - Flat to Tubular	100
	RPP-1	1000 Series Removable Retaining Pin	
	Cam Stops		
Cam Stop CA903	CA 901	Cam Stop 90° 1000 Series	
	CA 1801	Cam Stop 180° 1000 Series	
Cam Stop CA901	CA 903	Cam Stop 90° 23000, 24000, 29000 Series	
	CA 1803	Cam Stop 180° 23000, 24000, 29000 Series	
	CA 908	Cam Stop 90° 5000 Series	
	CA 1808	Cam Stop 180° 5000 Series	
Retaining Clip CL 1	**Retaining Clip**		
	CL 1	Retaining Clip (Standard)	25

All part numbers shown in blue are available through the STOCK LOCKS program.

Locksmith Accessories & Standard Cams

STOCK LOCKS

Use Only Original Fort Lock Parts & Accessories

Illustration	All part numbers in black on this page are NON-STOCK.







Standard Cams

Purchased Separately from Locks

Flat Lock	Gem Lock	Description		Box Qty.
SF 1100		**Straight**	A = 11/16"	25
SF 1200			A = 3/4"	25
SF 1400			A = 7/8"	25
SF 1600	SG 1600		A = 1"	25
SF 1800	SG 1800		A = 1-1/8"	25
SF 2000	SG 2000		A = 1-1/4"	25
SF 2400	SG 2400		A = 1-1/2"	25
SF 2800	SG 2800		A = 1-3/4"	25
SF 3200	SG 3200		A = 2"	25
SF 4000			A = 2-1/2"	25
BF 1416	BG 1416	**Bent**	A = 7/8", C = 1/2"	
BF 1420	BG 1420		A = 7/8", C = 5/8"	
BF 1424	BG 1424		A = 7/8", C = 3/4"	
BF 1816	BG 1816		A = 1-1/8", C = 1/2"	25
BF 1820	BG 1820		A = 1-1/8", C = 5/8"	
BF 1824	BG 1824		A = 1-1/8", C = 3/4"	
OF 1808	OG 1808	**Offset**	A = 1-1/8", B = 1/2", C = 1/4"	25
OF 1814	OG 1814		A = 1-1/8", B = 1/2", C = 7/16"	
OF 2208	OG 2208		A = 1-3/8", B = 1/2", C = 1/4"	
OF 2212			A = 1-3/8", B = 1/2", C = 3/8"	
OF 2214	OG 2214		A = 1-3/8", B = 1/2", C = 7/16"	
OF 2222			A = 1-3/8", B = 1/2", C = 11/16"	25
OF 2408			A = 1-1/2", B = 1/2", C = 1/4"	25
OF 2608	OG 2608	**Hook**	A = 1-5/8", B = 1/2", C = 1/4"	25
201			See page 24 for Dimensions	25
A 201			" "	
A 202			" "	
202			" "	

Cam Material: Flat Locks .109 Thick, Gem Locks .125 Thick

Cam Hole: Flat Locks .349 Square, Gem Locks .285 DIA, with .216 Flats

All part numbers shown in blue are available through the STOCK LOCKS program.

Key Blanks

STOCK LOCKS

Use Only Original High Quality FORT Keys

Illustration	Number	Description	Box Qty.
		Key Blanks	
 K137	K137	For 1000 Series Gem Locks	50
	K140	For 1000 Series Gem Master Keyed Locks	50
	K147	For A000 Series Apex® Locks (NON-STOCK)	
	K54G	For 23000 Series 4 & 5 Disc Tumbler Locks	50
	KS54G	For 23000 Series 4 Disc Tumbler Locks	50
	KL54G	For 23000 Series 6 Disc Tumbler Locks	50
	KS00V	For 24000 Series 5 Disc Tumbler Locks	50
	K00V	For 24000 Series 6 Disc Tumbler Locks	50
	KM54G	For 23000 Series 5 Disc Tumbler Locks, Master Keyed Locks	50
	KML54G	For 23000 Series 6 Disc Tumbler Locks, Master Keyed Locks	50
	K750	For 5000 Series 750 Keyway Locks	50
	K757	For 5000 Series 757 Keyway Locks	50
	K84	For 16000 Series Round Head Locks, Maxi Locks	50
	K60	For 7000 Series 8 Disc Tumbler Locks	50
 K54G	K752	For 8000 Series Locks	50
	K775	For 9000 Series 6 Disc Tumbler Locks	50
	KS775	For 9000 Series 5 Disc Tumbler Locks	50
	KS900	For 29000 Series 5 Disc Tumbler Locks, & Showcase Locks	50
	KT1	For 1T Series Locks	50
	KDM23	For 1M Series Locks	50
 K757			

All part numbers shown in blue are available through the STOCK LOCKS program.

Key Blanks

STOCK LOCKS

Use Only Original High Quality FORT Keys



K137
Steel Barrel – 7 Pin
1000 Series



K140
1000 Series
Master Key

K147
7 Pin
A000 Series

Part numbers K147 and KDM23 are obsolete. No replacement available.



KDM23
5 Disc
1M Series



KT1
4 Disc
1T Series

*K54A
K54B
K54C
K54D
K54E

Part number will be obsolete when current inventory is depleted

KS54G
4 Disc
K54G
5 Disc
23000 Series

KL54G
6 Disc
23000 Series

KMS54G
4 Disc
KM54G
5 Disc
23000 Series

KML54G
6 Disc
23000 Series
Master Key

KS00V
5 Disc
24000 Series

KOOV 6 Disc
KSOOV 5 Disc
24000 Series

K750
6 Disc
5000 Series

K757
6 Disc
5000 Series



K84
10 Disc
16000 Series



K84M
10 Disc
16000 Series
Master Key



K60
10 Disc
7000 Series



K752
6 Disc
8000 Series



KS900
5 Disc
29000 Series

K775 6 Disc
KS775 5 Disc
9000 Series

All part numbers shown in blue are available through the STOCK LOCKS program.

Customer Specified Cams



Style SF
Flat Key



Style SG
Round Key

Catalog Number		Dimensions	Catalog Number		Dimensions
Flat Style	Gem Style	'A' Inches	Flat Style	Gem Style	'A' Inches
SF0900	SG0900	9/16	SF2100	SG2100	1-5/16
SF1000	SG1000	5/8	SF2200	SG2200	1-3/8
SF1100	SG1100	11/16	SF2300	SG2300	1-7/16
SF1200	SG1200	3/4	SF2400	SG2400	1-1/2
SF1300	SG1300	13/16	SF2600	SG2600	1-5/8
SF1400	SG1400	7/8	SF2800	SG2800	1-3/4
SF1500	SG1500	15/16	SF3000	SG3000	1-7/8
SF1600	SG1600	1	SF3200	SG3200	2
SF1700	SG1700	1-1/16	SF3400	SG3400	2-1/8
SF1800	SG1800	1-1/8	SF3600	SG3600	2-1/4
SF1900	SG1900	1-3/16	SF3800	SG3800	2-3/8
SF2000	SG2000	1-1/4	SF4000	SG4000	2-1/2



Style BF
Flat Key



Style BG
Round Key

Flat Style	Gem Style	Dimensions (Inches)	
90° Bent	90° Bent	A	C
BF1410	BG1410	7/8	5/16
BF1412	BG1412	7/8	3/8
BF1414	BG1414	7/8	7/16
BF1416	BG1416	7/8	1/2
BF1418	BG1418	7/8	9/16
BF1420	BG1420	7/8	5/8
BF1422	BG1422	7/8	11/16
BF1424	BG1424	7/8	3/4
BF1810	BG1810	1-1/8	5/16
BF1812	BG1812	1-1/8	3/8
BF1814	BG1814	1-1/8	7/16
BF1816	BG1816	1-1/8	1/2
BF1816	BG1816	1-1/8	9/16
BF1820	BG1820	1-1/8	5/8
BF1822	BG1822	1-1/8	11/16
BF1824	BG1824	1-1/8	3/4



Style OF



Style OG

Flat Style	Gem Style	Dimensions (Inches)		
Offset	Offset	A	B	C
OF1602	OG1602	1	1/2	1/16
OF1604	OG1604	1	1/2	1/8
OF1606	OG1606	1	1/2	3/16
OF1608	OG1608	1	1/2	1/4
OF1610	OG1610	1	1/2	5/16
OF1612	OG1612	1	1/2	3/8
OF1614	OG1614	1	1/2	7/16
OF1802	OG1802	1-1/8	1/2	1/16
OF1804	OG1804	1-1/8	1/2	1/8
OF1806	OG1806	1-1/8	1/2	3/16
OF1808	OG1808	1-1/8	1/2	1/4
OF1810	OG1810	1-1/8	1/2	5/16
OF1812	OG1812	1-1/8	1/2	3/8
OF1814	OG1814	1-1/8	1/2	7/16
OF2002	OG2002	1-1/4	1/2	1/16
OF2004	OG2004	1-1/4	1/2	1/8
OF2006	OG2006	1-1/4	1/2	3/16
OF2008	OG2008	1-1/4	1/2	1/4
OF2010	OG2010	1-1/4	1/2	5/16
OF2012	OG2012	1-1/4	1/2	3/8
OF2014	OG2014	1-1/4	1/2	7/16
OF2202	OG2202	1-3/8	1/2	1/16
OF2204	OG2204	1-3/8	1/2	1/8
OF2206	OG2206	1-3/8	1/2	3/16
OF2208	OG2208	1-3/8	1/2	1/4
OF2210	OG2210	1-3/8	1/2	5/16
OF2212	OG2212	1-3/8	1/2	3/8
OF2214	OG2214	1-3/8	1/2	7/16
OF2402	OG2402	1-1/2	1/2	1/16
OF2404	OG2404	1-1/2	1/2	1/8
OF2406	OG2406	1-1/2	1/2	3/16
OF2408	OG2408	1-1/2	1/2	1/4
OF2410	OG2410	1-1/2	1/2	5/16
OF2412	OG2412	1-1/2	1/2	3/8
OF2414	OG2414	1-1/2	1/2	7/16
OF2602	OG2602	1-5/8	1/2	1/16
OF2604	OG2604	1-5/8	1/2	1/8
OF2606	OG2606	1-5/8	1/2	3/16
OF2608	OG2608	1-5/8	1/2	1/4
OF2610	OG2610	1-5/8	1/2	5/16
OF2612	OG2612	1-5/8	1/2	3/8
OF2614	OG2614	1-5/8	1/2	7/16



Style No. A202



Style No. 201

Number	Dimensions
A202	A and B to be specified by customer
201	Dimensions as shown

All part numbers shown in blue are available through the STOCK LOCKS program.

sample boards

MULTI-FUNCTION TUBULAR CAM LOCKS



V69B-16 BOARD

V69B-16 Board displays Multi-function cam locks, MFW1038 - MFW1148, SD1990 Sliding door lock, MFSW3-1138 Switch lock, TS1058U Threaded shaft lock, DR1008 Wood drawer lock and YPT1010 Inner cylinder.

MULTI-FUNCTION SINGLE BITTED CAM LOCKS



V69B-17 BOARD

V69B-17 Board displays Multifunction cam locks MFW23038 - MFW23168, SW20-3118MC Switch lock, MSW23010 Metal door lock, MFW23006 Spring door latch, SD990 Sliding door lock, MFWSG23000 Showcase lock.

MULTI-FUNCTION DOUBLE BITTED CAM LOCKS



V69B-18 BOARD

V69B-18 Board displays Multi function cam locks MFW29058 - MFW29138 and MFWSG29000 Showcase lock.

SPECIAL PURPOSE LOCKS AND ACCESSORIES

V69B-21 BOARD

V69B-21 Board displays MFWLT078 Locking thumb turn, MFWTT058 Thumb turn, DC1 Metal dust cover, API Anchor plate, WWI Wonder washer, 1T-058 Miniature lock, CL1. Retaining clip and TL-37 Trailer and gate lock.

ASSOCIATE MEMBER

ASSOCIATE MEMBER

ASSOCIATE MEMBER

CompX FORT

CompX SECURITY PRODUCTS

REGISTERED TO ISO 9001
CERTIFICATE NO. 10000814 QM08

MAIN OFFICE - FACTORY
PO Box 200
Mauldin, SC 29662
PH: 864-297-6655
FAX: 864-297-9987
compx.com

WESTERN DISTRIBUTION CENTER
9370 Buffalo Avenue, Unit 104
Rancho Cucamonga, CA 91730
PH: 909-476-7933
FAX: 909-476-8553

Reorder #: F2644-003
November 2017
Printed in the USA

Copyright 2020
© CompX Security Products

UL REGISTERED FIRM

COMPX FORT
REGISTERED TO ISO 9001
CERTIFICATE NO. 10000814 QM08

Made in the USA with American components